

# ONCOLOGY

## IMMUNOASSAYS

Cat. No.		Sample	Calibration range Limit of detection
RD191410200R	<b>6-Phosphogluconate Dehydrogenase Human ELISA</b>	Cerebrospinal fluid, Plasma (EDTA, citrate, heparin), Serum, Urine	0.25 – 16 ng/ml
	Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma: 10 µl; CSF, Urine: 35 µl	72 pg/ml
RAF084R	<b>s90K/Mac-2BP Human ELISA</b>	Serum, Plasma (EDTA, heparin, citrate), Cell culture supernatant	12.5 – 200 ng/ml
	Sandwich ELISA, HRP-labelled antibody	100 µl	0.92 ng/ml
RD191092200R	<b>Angiopoietin-Like Protein 3 Human ELISA</b>	Serum, Plasma (EDTA, heparin, citrate)	12.5 – 400 ng/ml
	Sandwich ELISA, Biotin-labelled antibody	30 µl	1.08 ng/ml
RIS0018R	<b>Alpha-Fetoprotein Human ELISA</b>	Serum	10 – 160 IU/ml
	Sandwich ELISA, HRP-labelled antibody	25 µl	1 IU/ml
RD199178120R	<b>Anti-Alpha-Galactosyl IgA Human ELISA</b>	Serum, Plasma (EDTA, heparin, citrate)	3.13 – 100 U/ml
	Capture ELISA, HRP-labelled antibody	5 µl	0.61 U/ml
RD199429200R	<b>Anti-Alpha-Galactosyl IgE Human ELISA</b>	Serum	0.04–1.28 U/ml
	Capture ELISA, Biotin-labelled antibody	10 µl	0.01 U/ml
RD199178100R	<b>Anti-Alpha-Galactosyl IgG Human ELISA</b>	Serum, Plasma (EDTA, heparin, citrate)	3.13 – 100 U/ml
	Capture ELISA, HRP-labelled antibody	5 µl	0.61 U/ml
RD199178110R	<b>Anti-Alpha-Galactosyl IgM Human ELISA</b>	Serum, Plasma (EDTA, heparin, citrate)	3.13 – 100 U/ml
	Capture ELISA, HRP-labelled antibody	5 µl	1.35 U/ml
RAF004R	<b>APRIL Human ELISA</b>	Serum, Plasma, Cell culture supernatant	0.78 – 50 ng/ml
	Sandwich ELISA, Biotin-labelled antibody	50 µl	0.4 ng/ml
RCD003R	<b>Beta2-Microglobulin Human ELISA</b>	Serum	0.2 – 10 mg/l
	Competitive ELISA, Immobilized antigen	20 µl	0.1 mg/l
RAF006R	<b>Caspase-8/FLICE Human ELISA</b>	Serum, Cell culture supernatant, Cell culture lysate	0.16 – 10 ng/ml
	Sandwich ELISA, HRP-labelled antibody	50 µl	0.10 ng/ml
RAF089R	<b>sCD23 Human ELISA</b>	Cell culture supernatant, Plasma, Serum	12.5 – 400 U/ml
	Sandwich ELISA, Biotin-labelled antibody	100 µl	6.8 U/ml
RAF090R	<b>sCD28 Human ELISA</b>	Serum, Cell culture supernatant	0.8 – 50 ng/ml
	Sandwich ELISA, Biotin-labelled antibody	50 µl	0.18 ng/ml
RAF091R	<b>sCD30 Human ELISA</b>	Serum, Plasma, Cell culture supernatant	1.6 – 100 ng/ml
	Sandwich ELISA, HRP-labelled antibody	25 µl	0.33 ng/ml

# ONCOLOGY

Cat. No.		Sample	Calibration range Limit of detection
RAF092R	<b>sCD40 Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Amniotic fluid, Plasma, Cell culture supernatant 50 µl	7.5 - 500 pg/ml 6.92 pg/ml
RAF093R	<b>sCD40L Human ELISA</b> Sandwich ELISA, HRP-labelled antibody	Serum, Plasma, Cell culture supernatant 20 µl	0.16 - 10 ng/ml 0.062 ng/ml
RAF094R	<b>sCD40L Mouse ELISA</b> Sandwich ELISA, HRP-labelled antibody	Serum, Cell culture supernatant 50 µl	0.31 - 20 ng/ml 0.14 ng/ml
RAF095R	<b>sCD44std Human ELISA</b> Sandwich ELISA, HRP-labelled antibody	Serum, Urine, Amniotic fluid, Plasma, Cell culture supernatant 20 µl	0.12 - 4 ng/ml 0.015 ng/ml
RAF096R	<b>sCD44var (v5) Human ELISA</b> Sandwich ELISA, HRP-labelled antibody	Serum, Cell culture supernatant 20 µl	10 - 0.32 ng/ml 0.14 ng/ml
RAF097R	<b>sCD44var (v6) Human ELISA</b> Sandwich ELISA, HRP-labelled antibody	Serum, Cell culture supernatant 20 µl	0.32 - 10 ng/ml 0.05 ng/ml
RSCYK070R	<b>Chromogranin A Human ELISA</b> Competitive ELISA, Immobilized antibody	Plasma (EDTA, heparin, citrate), Urine, Saliva 25 µl	0.14 - 33.33 pmol/ml
RIS025R	<b>Chromogranin A Human ELISA</b> Sandwich ELISA, HRP-labelled antibody	Serum 25 µl	31 - 830 ng/ml 5 ng/ml
RD194034200R	<b>Clusterin Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Cerebrospinal fluid, Plasma, Serum, Urine 5 µl	5 - 160 ng/ml 0.5 ng/ml
RD491034200R	<b>Clusterin Canine ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Urine Serum samples: 5 µl; Urine samples: 50 µl	4 - 128 ng/ml 0.2 ng/ml
RD391034200CS	<b>Clusterin Rat ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Urine 5 µl	4 - 128 ng/ml 0.7 ng/ml
RD191394200R	<b>Collagen Triple Helix Repeat-Containing Protein 1</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (EDTA, heparin, citrate) Tissue extract 10 µl	78 - 2500 pg/ml 27 pg/ml
RD191329200R	<b>Cyclophilin A Human ELISA</b> Direct ELISA, Biotin-labelled antibody	Serum, Plasma 35 µl	0.39 - 25 ng/ml 0.28 ng/ml
RD191360200R	<b>Cyclophilin B Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Plasma-Citrate, Plasma-EDTA, Plasma-Heparin, Serum 5 µl	0.16 - 10 ng/ml 0.075 ng/ml
RD193398200CS	<b>Cystatin B Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Urine	0.05 - 2.5 ng/ml
RD193324200R	<b>Decorin Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (EDTA, citrate, heparin) 20 µl	0.125 - 4 ng/ml 56 pg/ml
RD191207200R	<b>Dickkopf-Related Protein 1 Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum 50 µl	0.125 - 4 ng/ml 0.032 ng/ml
RD191369200R	<b>Epididymis Protein 4 (HE4) Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (EDTA, citrate, heparin), Urine 5 µl	0.82 - 26 pmol/l 0.15 pmol/l
RCD012R	<b>Ferritin Human ELISA</b> Sandwich ELISA, HRP-labelled antibody	Serum 20 µl	10 - 1500 ng/ml 7.5 ng/ml
RAF014R	<b>Fibronectin Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (EDTA, heparin), Urine, Cell culture supernatant 50 µl	0.31 - 20 ng/ml 0.1 ng/ml
RD191403200CS	<b>Fibronectin Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma 5 µl	1 - 50 ng/ml
RD191437200CS	<b>Galectin-1 Human ELISA</b>	Serum, Plasma 35 µl	0.25 - 8 ng/ml

# ONCOLOGY

Cat. No.		Sample		Calibration range Limit of detection
RD191268200R	<b>Gastrokine-1 Human ELISA</b>	Serum, Plasma (EDTA, citrate, heparin)		0.5 – 32 ng/ml
	Sandwich ELISA, Biotin-labelled antibody		35 µl	0.035 ng/ml
RD191135200R	<b>GDF-15/MIC-1 Human ELISA</b>	Serum, Plasma		70 – 4480 pg/ml
	Sandwich ELISA, Biotin-labelled antibody		30 µl	22 pg/ml
RD191230200R	<b>Glucose-Regulated Protein 78 Human ELISA</b>	Serum, Plasma (EDTA, heparin, citrate)		0.78 – 50 ng/ml
	Direct ELISA, Biotin-labelled antibody		50 µl	0.29 ng/ml
RD191327200R	<b>Granulysin Human ELISA</b>	Plasma, Serum		0.063 – 4 ng/ml
	Sandwich ELISA, Biotin-labelled antibody		20 µl	0.03 ng/ml
RAF101R	<b>sHER-2 Human ELISA</b>	Serum, Plasma (EDTA, heparin), Amniotic fluid, Cell culture supernatant		0.16 – 10 ng/ml
	Sandwich ELISA, HRP-labelled antibody		100 µl	0.06 ng/ml
RMEE05R	<b>IGFBP-2 Human ELISA</b>	Serum, Urine, Amniotic fluid, Milk, Saliva		1 – 80 ng/ml
	Sandwich ELISA, HRP-labelled antibody		15 µl	0.2 ng/ml
RD191518200R	<b>IL-1RAC1 / IL-1R3 Human ELISA</b>	Serum, Plasma (EDTA, citrate, heparin)		100 – 3 200 pg/ml
	Sandwich ELISA, Biotin-labelled antibody		5 µl	16 pg/ml
RD194088100R	<b>Immunoglobulin Free Light Chains κ and λ Human ELISA</b>	Serum, Urine, Plasma		10 – 320 µg/ml (κ) 17.5 – 560 µg/ml (λ)
	Sandwich ELISA, Biotin-labelled antibody		2 x 5 µl	6 µg/ml (κ) 5 µg/ml (λ)
RD191041200R	<b>Insulin Receptor Human ELISA</b>	Serum, Plasma		0.47 – 30 ng/ml
	Sandwich ELISA, Biotin-labelled antibody			0.173 ng/ml
RAF045R	<b>Interleukin-1 alpha Human ELISA</b>	Cell culture supernatant, Plasma, Serum, Urine		1.6 – 100 pg/ml
	Sandwich ELISA, HRP-labelled antibody		50 µl	1.6 pg/ml
RD194559200R	<b>Interleukin-1 beta Human ELISA</b>	Plasma (EDTA, citrate, heparin), Saliva, Serum		1.25 – 80 pg/ml
	Sandwich ELISA, Biotin-labelled antibody	Serum and plasma: 35 µl, Saliva: 5 µl		0.4 pg/ml
RAF106R	<b>sInterleukin-2 Receptor Human ELISA</b>	Serum, Plasma, Cell culture supernatant		0.31 – 20 ng/ml
	Sandwich ELISA, HRP-labelled antibody		50 µl	0.27 ng/ml
RGPO14R	<b>Interleukin-7 Human ELISA</b>	Serum, Plasma, Cell culture supernatant		6.25 – 200 pg/ml
	Sandwich ELISA, Biotin-labelled antibody		100 µl	< 3 pg/ml
RD194558200R	<b>Interleukin-8 Human ELISA</b>	Serum, Plasma, Saliva		1.6 – 100 pg/ml
	Sandwich ELISA, Biotin-labelled antibody			0.5 pg/ml
RAF030R	<b>Interleukin-12 (p70) Human ELISA</b>	Serum, Plasma, Cell culture supernatant		3.1 – 200 pg/ml
	Sandwich ELISA, Biotin-labelled antibody		50 µl	2.1 pg/ml
RAF057R	<b>Interleukin-21 Human ELISA</b>	Serum, Plasma (EDTA, citrate), Cell culture supernatant		78 – 5000 pg/ml
	Sandwich ELISA, Biotin-labelled antibody		50 µl	20.0 pg/ml
RAF064R	<b>Interleukin-33 Human ELISA</b>	Serum, Plasma (heparin, citrate), Cell culture supernatant		7.8 – 500 pg/ml
	Sandwich ELISA, Biotin-labelled antibody		50 µl	0.2 pg/ml
RD191436200R	<b>Kallistatin Human ELISA</b>	Amniotic fluid, Bronchoalveolar lavage, Cerebrospinal fluid, Milk, Plasma (EDTA, citrate, heparin), Serum, Urine		0.25 – 16 ng/ml
	Sandwich ELISA, Biotin-labelled antibody	Serum, plasma, CSF, Amniotic fluid, and Breast milk: 5 µl, BALF and urine: 35 µl		109 pg/ml
RD191370200R	<b>LECT2 Human ELISA</b>	Plasma (EDTA, citrate, heparin), Serum		0.13 – 8 ng/ml
	Sandwich ELISA, Biotin-labelled antibody		5 µl	0.013 ng/ml
RAF078R	<b>LIF Human ELISA</b>	Cell culture supernatant, Plasma, Serum		3.2 – 200 pg/ml
	Sandwich ELISA, Biotin-labelled antibody		50 µl	0.66 pg/ml
RAF108R	<b>sL-Selectin Human ELISA</b>	Serum, Cell culture supernatant		0.39 – 25 ng/ml
	Sandwich ELISA, HRP-labelled antibody		50 µl	0.19 ng/ml

# ONCOLOGY

Cat. No.	Sample	Calibration range Limit of detection
RD193443200CS	<b>Macrophage Migration Inhibitory Factor Human ELISA</b> Serum, Plasma Sandwich ELISA, Biotin-labelled antibody	1.125 – 8 ng/ml 10 µl
RD193438200CS	<b>Matrix Metalloproteinase-7 (MMP-7) Human ELISA</b> Serum, Plasma Sandwich ELISA, Biotin-labelled antibody	0.125 – 4 ng/ml 35 µl
RD191439100CS	<b>Matrix Metalloproteinase-9 (MMP-9) Human ELISA</b> Serum, Plasma (EDTA, heparin), Urine, Saliva Sandwich ELISA, HRP-labelled antibody	0.313–20 ng/ml Serum, Plasma, Saliva: 5 µl, Urine: 30 µl 0.151 ng/ml
RD191042200R	<b>Midkine Human ELISA</b> Serum, Plasma (heparin, citrate), Tissue extract, Cell culture medium Sandwich ELISA, Biotin-labelled antibody	0.2 – 10 ng/ml 20 µl 0.033 ng/ml
RGPO26R	<b>MICA Human ELISA</b> Cell culture supernatant, Buffer solution Sandwich ELISA, Biotin-labelled antibody	156 – 5000 pg/ml 100 µl 123 pg/ml
RD191276200R	<b>Neudesin Human ELISA</b> Amniotic fluid, Cerebrospinal fluid, Plasma (EDTA, heparin), Serum Sandwich ELISA, Biotin-labelled antibody	0.06 – 4 ng/ml 40 µl 0.01 ng/ml
RD191326200R	<b>Neuroserpin Human ELISA</b> Cerebrospinal fluid, Serum, Plasma Sandwich ELISA, Biotin-labelled antibody	0.09 – 6 ng/ml 35 µl
RIM002R	<b>NSE Human ELISA</b> Serum Sandwich ELISA, HRP-labelled antibody	4 – 100 ng/ml
RD191446200R	<b>Osteopontin Human ELISA</b> Cerebrospinal fluid, Milk, Serum, Plasma, Urine Sandwich ELISA, Biotin-labelled antibody	0.25 – 16 ng/ml Plasma: 10 µl; Serum: 20 µl; Urine, CSF, Breast milk: 5 µl 87 pg/ml
RAF082R	<b>p53 Human ELISA</b> Serum, Cell culture supernatant Sandwich ELISA, Biotin-labelled antibody	0.8 – 50 U/ml 50 µl 0.33 U/ml
RIS003R	<b>Parathyroid Hormone (PTH) Human ELISA</b> Serum, Plasma Sandwich ELISA, HRP-labelled antibody	15 – 1040 pg/ml 200 µl 2 pg/ml
RAF109R	<b>sPECAM-1 Human ELISA</b> Serum, Urine, Plasma, Cell culture supernatant Sandwich ELISA, HRP-labelled antibody	0.48 – 30 ng/ml 10 µl 0.06 ng/ml
RAG019R	<b>Periostin Human ELISA</b> Serum, Plasma, Cell culture supernatant Sandwich ELISA, HRP-labelled antibody	78 – 5000 pg/ml 15 pg/ml
RD191138300R	<b>Phosphorylated Neurofilament H Human ELISA</b> Serum, Cerebrospinal fluid, Tissue extract, Plasma Sandwich ELISA, HRP-labelled antibody	62.5 – 4000 pg/ml 23.5 pg/ml
RMEE103R	<b>Progranulin Human ELISA</b> Serum, Plasma Sandwich ELISA, Biotin-labelled antibody	75 – 2500 pg/ml 10 µl 0.018 ng/ml
RAG014R	<b>Progranulin Mouse ELISA</b> Serum, Cell culture supernatant Sandwich ELISA, HRP-labelled antibody	0.125 – 8 ng/ml 60 pg/ml
RD191304100R	<b>Prolactin-Inducible Protein Human ELISA</b> Bronchoalveolar lavage, Milk, Plasma (EDTA, citrate, heparin), Seminal plasma, Urine Sandwich ELISA, HRP-labelled antibody	1.57 – 100 ng/ml
RD191319200R	<b>Proline-Rich Acidic Protein 1 Human ELISA</b> Serum, Plasma Sandwich ELISA, Biotin-labelled antibody	0.05 – 3.2 ng/ml 5 µl
RD191140200R	<b>Prostate Secretory Protein 94 Human ELISA</b> Serum, Plasma Sandwich ELISA, Biotin-labelled antibody	0.5 – 16 ng/ml 50 µl 0.12 ng/ml
RAI001R	<b>Proteinase 3 (PR3) Human ELISA</b> Serum, Cell culture medium, Plasma Sandwich ELISA, HRP-labelled antibody	0.156 – 10 ng/ml
RAI002R	<b>Proteinase 3 (PR3) Mouse ELISA</b> Serum, Cell culture medium, Plasma Sandwich ELISA, HRP-labelled antibody	0.05 – 3.2 ng/ml
RD191069200R	<b>Prouroguanylin Human ELISA</b> Serum, Plasma (EDTA, citrate, heparin) Sandwich ELISA, Biotin-labelled antibody	0.8 – 40 ng/ml 20 µl 0.13 ng/ml

# ONCOLOGY

Cat. No.		Sample	Calibration range Limit of detection
RD191345200R	<b>Pyruvate Kinase M2 Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Plasma, Serum, Stool, Urine 40 µl	0.5 – 32 ng/ml 0.15 ng/ml
RD193004200R	<b>sRANKL (total) Human ELISA (Osteoprotegerin Ligand)</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (EDTA, citrate, heparin) 5 µl	0.5 – 32 pmol/l 0.4 pmol/l
RD191215200R	<b>S100A6 Human ELISA (Multispecies specificity)</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (heparin), Urine, Cerebrospinal fluid, Bronchoalveolar lavage, Tissue extract 5 µl	0.125 – 4 ng/ml 0.014 ng/ml
RD191493200CS	<b>S100A8 Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma 35 µl	0.05 – 20 ng/ml
RD191221200R	<b>S100A12 Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Urine, Bronchoalveolar lavage, Amniotic fluid 5 µl	0.063 – 4 ng/ml 0.02 ng/ml
RD192090100R	<b>S100B Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (heparin), Cerebrospinal fluid 25 µl	0.05 – 2 ng/ml 15 pg/ml
RD191120200R	<b>Secretagogin Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (EDTA) 50 µl	62.5 – 2000 pg/ml 11 pg/ml
RD191373200R	<b>Secretoglobulin 3A2 Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Amniotic fluid, Bronchoalveolar lavage, Plasma (EDTA, citrate, heparin), Serum 35 µl	31.3 – 2000 pg/ml 12 pg/ml
RD191368200R	<b>Serglycin Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Tissue extract 10 µl	39 – 1250 pg/ml 9.5 pg/ml
RD191095200R	<b>Stanniocalcin 1 Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Milk, Serum, Plasma (EDTA, citrate, heparin), Urine Serum, Plasma, Urine samples: 35 µl; Breast milk samples: 5 µl	15.6 – 1000 pg/ml 0.7 pg/ml
RGPO05R	<b>Stem Cell Factor Receptor (CD117) Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma, Cell culture supernatant 100 µl	0.312 – 10 ng/ml < 0.095 ng/ml
RGPO09R	<b>Syndecan-1 (CD138) Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma, Cell culture supernatant 100 µl	8 – 256 ng/ml < 2.56 ng/ml
RGPO07R	<b>Syndecan-1 (CD138) Mouse ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Buffer solution, Cell culture supernatant, Plasma, Serum Buffer solution, Cell culture supernatant: 100 µl Serum, Plasma: 50 µl	0.5 – 16 ng/ml <0.35 ng/ml
RD191397200CS	<b>Synuclein Gamma Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma, Urine	0.2 – 10 ng/ml
RD194011100	<b>stfR Human ELISA (soluble Transferrin Receptor)</b> Sandwich ELISA, HRP-labelled antibody	Serum, Plasma (EDTA, citrate, heparin) 10 µl	0.05 – 2 µg/ml 2 ng/ml
RLF-EK0122R	<b>Thioredoxin Reductase 1 Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Cell lysate, Plasma	0 – 25 ng/ml 0.39 ng/ml
RGD001R	<b>TM-CYFRA 21-1 ELISA</b> Sandwich ELISA	Serum, Plasma	0.15 – 50 ng/ml 0.15 ng/ml
RAF135R	<b>TRAIL Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma, Cell culture supernatant 50 µl	15.6 – 1000 pg/ml 5 pg/ml
RD191158100R	<b>Trefoil Factor 1 Human ELISA</b> Sandwich ELISA, HRP-labelled antibody	Serum, Plasma (heparin, citrate) 40 µl	0.125 – 4 ng/ml 0.019 pg/ml
RD191159100R	<b>Trefoil Factor 2 Human ELISA</b> Sandwich ELISA, HRP-labelled antibody	Serum, Plasma 40 µl	0.25 – 10 ng/ml 0.044 pg/ml
RD191160200R	<b>Trefoil Factor 3 Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma, Urine, Bronchoalveolar lavage 25 µl	0.075 – 2.4 ng/ml 0.007 ng/ml
RD391160200R	<b>Trefoil Factor 3 Rat ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Urine Serum: 20 µl, Urine: 5 µl	62.5 – 4000 pg/ml

## ONCOLOGY

Cat. No.		Sample		Calibration range Limit of detection
RD191343100R	<b>Urinary Trypsin Inhibitor Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Urine	5 µl	0.63 - 20 ng/ml 0.25 ng/ml
RAF117R	<b>sVAP-1 Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (EDTA, heparin), Amniotic fluid, Cell culture supernatant	10 µl	31.3 - 2000 pg/ml 19 pg/ml
RAF136R	<b>VEGF-A Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma (EDTA, citrate, heparin), Cell culture supernatant	50 µl	15.6 - 1 000 pg/ml 7.9 pg/ml
RD191119200R	<b>VILIP-1 Human ELISA</b> Sandwich ELISA, Biotin-labelled antibody	Serum, Plasma, Cerebrospinal fluid, Tissue extract	100 µl	0.1 - 5 ng/ml 0.027 ng/ml
RD191093100R	<b>Zinc-Alpha-2-Glycoprotein Human ELISA</b> Sandwich ELISA, HRP-labelled antibody	Serum, Plasma	10 µl	3 - 100 ng/ml 0.673 ng/ml

## PROTEINS

Cat. No.	Description	Species	Source	Type
RD472034100	<b>Clusterin</b>	Canine	<i>E. coli</i>	Recombinant
RD472034100-HEK	<b>Clusterin</b>	Canine	HEK293	Recombinant
RD172034100	<b>Clusterin</b>	Human	HEK293	Recombinant
RD172034100-S	<b>Clusterin</b>	Human	Human plasma	Native
RD372034100	<b>Clusterin</b>	Rat	<i>E. coli</i>	Recombinant
RD172394100	<b>Collagen Triple Helix Repeat-Containing Protein 1</b>	Human	<i>E. coli</i>	Recombinant
RD172394100-HEK	<b>Collagen Triple Helix Repeat-Containing Protein 1</b>	Human	HEK293	Recombinant
RD172153100	<b>CTRP1</b>	Human	<i>E. coli</i>	Recombinant
RD172121100	<b>CTRP3</b>	Human	<i>E. coli</i>	Recombinant
RD272455100	<b>Cyclophilin A</b>	Mouse	<i>E. coli</i>	Recombinant
RD372454100	<b>Cyclophilin A</b>	Rat	<i>E. coli</i>	Recombinant
RD172360100	<b>Cyclophilin B</b>	Human	<i>E. coli</i>	Recombinant
RD172241100	<b>Fibroblast Growth Factor 23 C-terminal Peptide</b>	Human	<i>E. coli</i>	Recombinant
RD172168025	<b>Follistatin</b>	Human	<i>E. coli</i>	Recombinant
RD172379100	<b>GP96 (HSP90B1)</b>	Human	HEK293	Recombinant
RD172230100	<b>GRP-78</b>	Human	<i>E. coli</i>	Recombinant
RD172039025	<b>Herstatin</b>	Human	<i>E. coli</i>	Recombinant
RD172271100	<b>Heat Shock 70kDa Protein 1A/1B</b>	Human	<i>E. coli</i>	Recombinant
RD172232100	<b>High Mobility Group Protein B1</b>	Human	<i>E. coli</i>	Recombinant
RD172370100	<b>Leukocyte Cell-Derived Chemotaxin-2</b>	Human	<i>E. coli</i>	Recombinant
RD172188100-HEK	<b>Mammaglobin A (Fc Chimera)</b>	Human	HEK293	Recombinant
RD172528100	<b>NOV</b>	Human	HEK293	Recombinant
RD172045100	<b>Osteoblast Specific Factor 2</b>	Human	<i>E. coli</i>	Recombinant
RD172045025	<b>Osteoblast Specific Factor 2</b>	Human	<i>E. coli</i>	Recombinant
RD172446100	<b>Osteopontin</b>	Human	HEK293	Recombinant
RD164304050	<b>Prolactin-Inducible Protein</b>	Human	Human seminal plasma	Native
RD172345100	<b>Pyruvate Kinase M2</b>	Human	<i>E. coli</i>	Recombinant

## ONCOLOGY

Cat. No.	Description	Species	Source	Type
RD172078025	<b>Regenerating Protein 1 alpha</b>	Human	<i>E. coli</i>	Recombinant
RD172373100	<b>Secretoglobin Family 3A Member 2</b>	Human	<i>E. coli</i>	Recombinant
RD172368100-HEK	<b>Serglycin</b>	Human	HEK293	Recombinant
RD172159025	<b>Trefoil Factor 2</b>	Human	<i>E. coli</i>	Recombinant
RD162093025	<b>Zinc-Alpha-2-Glycoprotein</b>	Human	Human serum	Native
RD172093025	<b>Zinc-Alpha-2-Glycoprotein</b>	Human	HEK293	Recombinant

## ANTIBODIES

Cat. No.	Description	Spec. React.	Type	Antigen
RD181056100	<b>Angiostatin</b>	Human	Rabbit PAb	Human serum
RD181140100	<b>Beta-Microseminoprotein</b>	Human	Rabbit PAb	<i>E. coli</i>
RD184140100	<b>Beta-Microseminoprotein</b>	Human	Sheep PAb	<i>E. coli</i>
RD481034100	<b>Clusterin</b>	Canine	Rabbit PAb	<i>E. coli</i>
RD484034100	<b>Clusterin</b>	Canine	Sheep PAb	<i>E. coli</i>
RD182034110-H3	<b>Clusterin</b>	Human	Mouse MAb, Clone: Hs-3	Human sperm extract
RD381034100	<b>Clusterin</b>	Rat	Rabbit PAb	<i>E. coli</i>
RD181076100	<b>Endostatin</b>	Human	Rabbit PAb	<i>Pichia pastoris</i>
RD182024110-25	<b>Ep-CAM (MK-1)</b>	Human	Mouse MAb, Clone MK-1-25	<i>E. coli</i>
RD182024110-10	<b>Ep-CAM (MK-1)</b>	Human	Mouse MAb, Clone MK-1-410	<i>E. coli</i>
RD184230100	<b>GRP-78</b>	Human	Sheep PAb	<i>E. coli</i>
RD182039100C7	<b>Herstatin</b>	Human	Mouse MAb, Clone 10C7	<i>E. coli</i>
RD1820391002D4	<b>Herstatin</b>	Human	Mouse MAb, Clone 2D4	<i>E. coli</i>
RD1820391002E9	<b>Herstatin</b>	Human	Mouse MAb, Clone 2E9	<i>E. coli</i>
RD1820391007H3	<b>Herstatin</b>	Human	Mouse MAb, Clone 7H3	<i>E. coli</i>
RD181039050	<b>Herstatin</b>	Human	Rabbit PAb	<i>E. coli</i>
RD181203100	<b>Interleukin-33</b>	Human	Rabbit PAb	<i>E. coli</i>
RD184203100	<b>Interleukin-33</b>	Human	Sheep PAb	<i>E. coli</i>
RD181042050	<b>Midkine</b>	Human	Rabbit PAb	<i>E. coli</i>
RD181304100	<b>Prolactin-Inducible Protein</b>	Human	Rabbit PAb	Human seminal plasma
RD184304100	<b>Prolactin-Inducible Protein</b>	Human	Sheep PAb	Human seminal plasma
RD181061100	<b>Prostate-Specific Gene-1</b>	Human	Rabbit PAb	<i>E. coli</i>
RD181078100	<b>Regenerating Protein 1 alpha</b>	Human	Rabbit PAb	<i>E. coli</i>
RD181215100	<b>S100A6</b>	Human	Rabbit PAb	<i>E. coli</i>
RD184215100	<b>S100A6</b>	Human	Sheep PAb	<i>E. coli</i>
RD184220100	<b>S100A11</b>	Human	Sheep PAb	<i>E. coli</i>
RD181221100	<b>S100A12</b>	Human	Rabbit PAb	<i>E. coli</i>
RD184221100	<b>S100A12</b>	Human	Sheep PAb	<i>E. coli</i>
RD184222100	<b>S100A13</b>	Human	Sheep PAb	<i>E. coli</i>
RD184225100	<b>S100G</b>	Human	Sheep PAb	<i>E. coli</i>
RD181120100	<b>Secretagogin</b>	Human	Rabbit PAb	<i>E. coli</i>

Cat. No.	Description	Spec. React.	Type	Antigen
RD184120100	<b>Secretagogin</b>	Human	Sheep PAb	<i>E. coli</i>
RD381120100	<b>Secretagogin</b>	Rat	Rabbit PAb	<i>E. coli</i>
RD181158100	<b>Trefoil Factor 1</b>	Human	Rabbit PAb	<i>E. coli</i>
RD184158100	<b>Trefoil Factor 1</b>	Human	Sheep PAb	<i>E. coli</i>
RD181159100	<b>Trefoil Factor 2</b>	Human	Rabbit PAb	<i>E. coli</i>
RD184159100	<b>Trefoil Factor 2</b>	Human	Sheep PAb	<i>E. coli</i>
RD181160100	<b>Trefoil Factor 3</b>	Human	Rabbit PAb	<i>E. coli</i>
RD184160100	<b>Trefoil Factor 3</b>	Human	Sheep PAb	<i>E. coli</i>
RD181343100	<b>Urinary Trypsin Inhibitor</b>	Human	Rabbit PAb	Human Urine
RD181119100	<b>Visinin-Like Protein 1</b>	Human	Rabbit PAb	<i>E. coli</i>
RD184119100	<b>Visinin-Like Protein 1</b>	Human	Sheep PAb	<i>E. coli</i>
RD181093100	<b>Zinc-Alpha-2-Glycoprotein</b>	Human	Rabbit PAb	HEK293
RD184093100	<b>Zinc-Alpha-2-Glycoprotein</b>	Human	Sheep PAb	HEK293
RD181229100	<b>Zymogen Granule Membrane Protein 16</b>	Human	Rabbit PAb	<i>E. coli</i>
RD184229100	<b>Zymogen Granule Membrane Protein 16</b>	Human	Sheep PAb	<i>E. coli</i>

## › Contact Information



**BioVendor – Laboratorní medicína a.s.**  
 Karasek 1767/1, 621 00 Brno, Czech Republic  
 Phone: +420 549 124 185, Fax: +420 549 211 460  
 E-mail: info@biovendor.com

**BioVendor GmbH**  
 Otto-Hahn-Straße 16, 34123 Kassel, Germany  
 Phone: +49 6221 4339 100, Fax: +49 6221 4339 111  
 E-mail: infoEU@biovendor.com

› [www.biovendor.com](http://www.biovendor.com)

**BioVendor GesmbH**  
 Gaudenzdorfer Gürtel 43-45, 1120 Vienna, Austria  
 Phone: +43 1 890 9025, Fax: +43 1 890 5163  
 E-mail: infoAustria@biovendor.com

**BioVendor, LLC**  
 128 Bingham Rd., Suite 1300, Asheville, NC 28806, USA  
 Phone: +1-800-404-7807, Phone: +1-828-575-9250  
 Fax: +1-828-575-9251, E-mail: infoUSA@biovendor.com